

EU safety data sheet

Trade name: Hovadur® CB2 Pulver

Current version : 4.0.0, issued: 10.11.2023

Replaced version: 3.0.0, issued: 27.07.2021

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Hovadur® CB2 Pulver

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Additive Manufacturing

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

SCHMELZMETALL DEUTSCHLAND GmbH

Raiffeisenstraße 8

97854 Steinfeld-Hausen

Telephone no. +49 9359 9740-0

e-mail sales@schmelzmetall.com

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Acute Tox. 4; H332

Aquatic Acute 1; H400

Aquatic Chronic 3; H412

Carc. 1B; H350

Repr. 1B; H360

Skin Sens. 1; H317

STOT RE 2; H373

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)**Hazard pictograms**

GHS07



GHS08



GHS09

Signal word

Danger

Hazardous component(s) to be indicated on label:

beryllium

EU safety data sheet

Trade name: Hovadur® CB2 Pulver

Current version : 4.0.0, issued: 10.11.2023

Replaced version: 3.0.0, issued: 27.07.2021

Region: GB

cobalt

Hazard statement(s)

H317 May cause an allergic skin reaction.
 H332 Harmful if inhaled.
 H350 May cause cancer.
 H360 May damage fertility or the unborn child
 H373 May cause damage to organs through prolonged or repeated exposure
 H410 Very toxic to aquatic life with long lasting effects.

Hazard statements (EU)

EUH208 Contains nickel powder; [particle diameter < 1 mm]. May produce an allergic reaction.

Precautionary statement(s)

P201 Obtain special instructions before use.
 P260 Do not breathe dust.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/protective clothing/eye protection.
 P308+P313 IF exposed or concerned: Get medical advice/attention.
 P391 Collect spillage.
 P501 Dispose of contents/container to a facility in accordance with local and national regulations.

Supplemental label elements

"Restricted to professional users"

2.3 Other hazards

PBT assessment

The study does not need to be conducted according to Annex XIII of Regulation (EC) 1907/2006 (REACH).

vPvB assessment

The study does not need to be conducted according to Annex XIII of Regulation (EC) 1907/2006 (REACH).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name	Additional information		
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	
			%	
1	copper			
	7440-50-8 231-159-6 - -	Aquatic Acute 1; H400 Aquatic Chronic 3; H412	< 100.00	wt%
2	beryllium			
	7440-41-7 231-150-7 004-001-00-7 -	Acute Tox. 2*; H330 Acute Tox. 3*; H301 Carc. 1B; H350i Eye Irrit. 2; H319 Skin Irrit. 2; H315 Skin Sens. 1; H317 STOT RE 1; H372i STOT SE 3; H335	< 2.50	wt%
3	nickel powder; [particle diameter < 1 mm]			
	7440-02-0 231-111-4 028-002-01-4 -	Aquatic Chronic 3; H412 Carc. 2; H351 Skin Sens. 1; H317 STOT RE 1; H372**	< 2.50	wt%
4	cobalt			

EU safety data sheet

Trade name: Hovadur® CB2 Pulver

Current version : 4.0.0, issued: 10.11.2023

Replaced version: 3.0.0, issued: 27.07.2021

Region: GB

7440-48-4 231-158-0 027-001-00-9 -	Skin Sens. 1; H317 Resp. Sens. 1; H334 Muta. 2; H341 Carc. 1B; H350 Repr. 1B; H360F Aquatic Chronic 4; H413	< 2.50	wt%
---	--	--------	-----

Full Text for all H-phrases and EUH-phrases: pls. see section 16
(*,**,***,****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

No	Route, target organ, concrete effect
2	H350i inhalational; -; - H372i inhalational; -; -

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. If the patient is likely to become unconscious, place and transport in stable sideways position. In case of allergic symptoms, especially respiratory tract related, seek medical help immediately.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Call a doctor immediately. If breathing is irregular or stopped, administer artificial respiration.

After skin contact

In case of contact with skin wash off immediately with copious amounts of water. Consult a doctor if skin irritation persists.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). In case of irritation consult an ophthalmologist.

After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing powder; Sand; Metal fire powders

Unsuitable extinguishing media

Water; Foam; Carbon dioxide

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Metal oxides

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Run-off water from fire fighting must not be discharged into drains or enter surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

EU safety data sheet

Trade name: Hovadur® CB2 Pulver

Current version : 4.0.0, issued: 10.11.2023

Replaced version: 3.0.0, issued: 27.07.2021

Region: GB

Refer to protective measures listed in sections 7 and 8. Avoid dust formation. Ensure adequate ventilation.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Avoid raising dust. Collect mechanically. Send in suitable containers for recovery or disposal.

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). Avoid the formation and deposition of dust. Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Do not inhale dust.

Advice on protection against fire and explosion

Dust can form an explosive mixture with air. Keep away from sources of heat and ignition. Avoid formation of dust.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Always keep in containers of same material as the original. Containers which are opened must be carefully closed and kept upright to prevent leakage.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	copper	7440-50-8	231-159-6
	List of approved workplace exposure limits (WELs) / EH40		
	Copper		
	fume		
	WEL long-term (8-hr TWA reference period)	0.2	mg/m ³
	List of approved workplace exposure limits (WELs) / EH40		
	Copper		
	dusts and mists		
	Cu		
	WEL short-term (15 min reference period)	2	mg/m ³
	WEL long-term (8-hr TWA reference period)	1	mg/m ³
2	beryllium	7440-41-7	231-150-7
	List of approved workplace exposure limits (WELs) / EH40		

EU safety data sheet

Trade name: Hovadur® CB2 Pulver

Current version : 4.0.0, issued: 10.11.2023

Replaced version: 3.0.0, issued: 27.07.2021

Region: GB

	Beryllium & beryllium compounds (as Be)		
	WEL long-term (8-hr TWA reference period)	0.002	mg/m ³
	Comments	Carc	
	2004/37/EC		
	Beryllium and inorganic beryllium compounds		
	WEL long-term (8-hr TWA reference period)	0,0002 (11)	mg/m ³
	Skin resorption / sensibilisation	dermal and respiratory sensitisation (13)	
	Comments	Limit value 0,0006 mg/m3 until 11 July 2026	
3	Dust		
	List of approved workplace exposure limits (WELs) / EH40		
	Dust respirable		
	WEL long-term (8-hr TWA reference period)	4	mg/m ³
	Comments	see Definition 44 "Dust"	
	List of approved workplace exposure limits (WELs) / EH40		
	Dust inhalable		
	WEL long-term (8-hr TWA reference period)	10	mg/m ³
	Comments	see Definition 44 "Dust"	
4	nickel powder; [particle diameter < 1 mm]	7440-02-0	231-111-4
	List of approved workplace exposure limits (WELs) / EH40		
	Nickel & its inorganic compounds (except nickel tetracarbonyl): water soluble nickel compounds (as Ni)		
	WEL long-term (8-hr TWA reference period)	0.1	mg/m ³
	Comments	Sk, Carc (nickel oxides and sulphides) Sen (nickel sulphate)	
	List of approved workplace exposure limits (WELs) / EH40		
	Nickel & water insoluble compounds nickel compounds (as Ni)		
	WEL long-term (8-hr TWA reference period)	0.5	mg/m ³
	Comments	Sk, Carc (nickel oxides and sulphides) Sen (nickel sulphate)	
5	cobalt	7440-48-4	231-158-0
	List of approved workplace exposure limits (WELs) / EH40		
	Cobalt & cobalt compounds (as Co)		
	WEL long-term (8-hr TWA reference period)	0.1	mg/m ³
	Comments	Carc (cobalt dichloride and sulphate), Sen	

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of dust formation, take appropriate measures for breathing protection in the event that workplace threshold values are not specified.

Respiratory filter (part): P3

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

EU safety data sheet

Trade name: Hovadur® CB2 Pulver

Current version : 4.0.0, issued: 10.11.2023

Replaced version: 3.0.0, issued: 27.07.2021

Region: GB

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation			
solid			
Form			
Powder			
Colour			
copper colours			
Odour			
odourless			
pH value			
No data available			
Boiling point / boiling range			
No data available			
Melting point/freezing point			
Value	870	- 970	°C
Decomposition temperature			
No data available			
Flash point			
No data available			
Ignition temperature			
No data available			
Flammability			
No data available			
Lower explosion limit			
No data available			
Upper explosion limit			
No data available			
Vapour pressure			
No data available			
Relative vapour density			
No data available			
Relative density			
No data available			
Density			
Value	8.3	g/cm ³	
Reference temperature	20	°C	
Solubility in water			
Comments	insoluble		
Solubility			
No data available			
Partition coefficient n-octanol/water (log value)			
No data available			
Kinematic viscosity			
No data available			
Particle characteristics			
No data available			

EU safety data sheet

Trade name: Hovadur® CB2 Pulver

Current version : 4.0.0, issued: 10.11.2023

Replaced version: 3.0.0, issued: 27.07.2021

Region: GB

9.2 Other information

Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

Avoid formation of dust.

10.5 Incompatible materials

Acids; Bases; Oxidizing agents

10.6 Hazardous decomposition products

No data available.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity (result of the ATE calculation for the mixture)

No	Product Name
1	Hovadur® CB2 Pulver
Comments	
The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).	

Acute oral toxicity

No data available

Acute dermal toxicity

No data available

Acute inhalational toxicity (result of the ATE calculation for the mixture)

No	Product Name
1	Hovadur® CB2 Pulver
ATE (Mixture)	
Route of exposure / physical from Method	
2.5000 mg/l	
Dust/mist	
Calculation method according Regulation (EC) No 1272/2008, (CLP), annex I, part 3, section 3.1.3.6.	

Acute inhalational toxicity

No data available

Skin corrosion/irritation

No data available

Serious eye damage/irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

EU safety data sheet

Trade name: Hovadur® CB2 Pulver

Current version : 4.0.0, issued: 10.11.2023

Replaced version: 3.0.0, issued: 27.07.2021

Region: GB

Reproduction toxicity
No data available
Carcinogenicity
No data available
STOT - single exposure
No data available
STOT - repeated exposure
No data available
Aspiration hazard
No data available

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)
No data available
Toxicity to fish (chronic)
No data available
Toxicity to Daphnia (acute)
No data available
Toxicity to Daphnia (chronic)
No data available
Toxicity to algae (acute)
No data available
Toxicity to algae (chronic)
No data available
Bacteria toxicity
No data available

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	The study does not need to be conducted according to Annex XIII of Regulation (EC) 1907/2006 (REACH).
vPvB assessment	The study does not need to be conducted according to Annex XIII of Regulation (EC) 1907/2006 (REACH).

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

EU safety data sheet

Trade name: Hovadur® CB2 Pulver

Current version : 4.0.0, issued: 10.11.2023

Replaced version: 3.0.0, issued: 27.07.2021

Region: GB

12.8 Other information

Other information

Do not discharge into drains or waters and do not dispose of in public landfills.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class	9
Classification code	M7
Packing group	III
Hazard identification no.	90
UN number	UN3077
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Technical name	copper
Tunnel restriction code	-
Label	9
Environmentally hazardous substance mark	Symbol "fish and tree"

14.2 Transport IMDG

Class	9
Packing group	III
UN number	UN3077
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Technical name	copper
EmS	F-A, S-F
Label	9
Marine pollutant mark	Symbol "fish and tree"

14.3 Transport ICAO-TI / IATA

Class	9
Packing group	III
UN number	UN3077
Proper shipping name	Environmentally hazardous substance, solid, n.o.s.
Technical name	copper
Label	9
Environmentally hazardous substance mark	Symbol "fish and tree"

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

EU safety data sheet

Trade name: Hovadur® CB2 Pulver

Current version : 4.0.0, issued: 10.11.2023

Replaced version: 3.0.0, issued: 27.07.2021

Region: GB

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)
According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation
According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES
The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	beryllium	7440-41-7	231-150-7	28, 75
2	cobalt	7440-48-4	231-158-0	28, 30, 75
3	copper	7440-50-8	231-159-6	75
4	nickel powder; [particle diameter < 1 mm]	7440-02-0	231-111-4	27, 75

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances
This product is subject to Part I of Annex I, risk category: E1

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H301	Toxic if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects
H350i	May cause cancer by inhalation.
H351	Suspected of causing cancer.
H360F	May damage fertility.
H372	Causes damage to organs through prolonged or repeated exposure.
H372i	Causes damage to organs through prolonged or repeated exposure if inhaled.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

EU safety data sheet

Trade name: Hovadur® CB2 Pulver

Current version : 4.0.0, issued: 10.11.2023

Replaced version: 3.0.0, issued: 27.07.2021

Region: GB

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 758687